

# WallPod HomeServ No. 6



EV Charging: Type 1 or Type 2 Mode 3 unit c/w 5m tethered lead

The WallPod HomeServ No. 6 is a low-cost, entry level home EV charging unit, designed to offer full Mode 3 fast charging to every electric vehicle on the market today



EV Charging

## WallPod HomeServ No. 6 Specifications

### Mechanical:

- Warm white base unit (other colours available upon request)
- Green service pods (other colours available upon request)
- IP65 Category 1 weather proof rating to BS EN 60529 Certification
- BSI Certificated to BS EN 60335-1 (safety certificate)
- Manufactured in compliance with BS7671 Wiring Regulations
- Compliant with IET EV regulations
- Corrosion resistant
- Operating temperature: - 30C to +50C
- Glow wire rating tested to IEC 60695-2-13
- Flame retardant to UL94 flame rating at V2 for 1.5mm and 3mm

### Electrical:

- J1772 (Type 1) or IEC 62196 (Type 2) 5 metre tethered lead
- Available in 16amp (3.6kW) or 32amp (7.2kW)
- Mode 3 IEC61851-1 compliant
- LED charging status indicator
- 20amp or 40amp, 30mA Type A (DC sensitive) RCBO
- Full internal wiring - ready to install

**PRODUCT CODES:** EVWP2080 - 16amp (3.6kW) Type 2  
EVWP2140 - 32amp (7.2kW) Type 2  
EVWP1080 - 16amp (3.6kW) Type 1  
EVWP1140 - 32amp (7.2kW) Type 1

## THE WALLPOD HOMESERV RANGE:



### HomeServ No. 1

- 13A socket
- Water tap



### HomeServ No. 2

- 10A RCBO
- 13A socket



### HomeServ No. 3

- 13A socket
- 13A socket



### HomeServ No. 4

- EV ready 13A socket (upgradeable to full Mode 3 fast charge)



### HomeServ No. 5

- IEC 62196 Type 2 EV charging socket



### HomeServ No. 6

- Type 1 or Type 2 EV charging gun c/w tethered lead